



STRUCTURAL SUPPORT YOU CAN COUNT ON

AN ADVANCED ALTERNATIVE

GP Lam[®] LVL is an excellent alternative to traditional sawn lumber when used as floor beams, door, window and garage door headers, and ridge and hip beams. GP Lam LVL is a strong, stiff and consistent building material that can support heavy loads over longer spans than conventional lumber.

CARRY HEAVY LOADS OVER LONG SPANS

Its high strength-to-weight ratio makes GP Lam LVL more than 50% stronger than solid sawn wood. And it resists shrinking, warping, splitting and checking. GP Lam 2.0E has high design values for bending, stiffness and shear strength.

MOISTURE PROTECTION ON THE JOBSITE

For better performance, GP Lam LVL features FiberGuard[™] sealant to minimize cupping and warping due to moisture damage while in storage, in transit, and on the jobsite. The LVL is evenly coated on all four sides and both ends with a modified acrylic emulsion film, helping to reduce the moisture absorption rate and reduce the damage than an unprotected product may sustain.

WHAT YOU DON'T SEE MATTERS[™]



GP LAM, FIBERGUARD, WHAT YOU DON'T SEE MATTERS, and GP Lam LVL and Georgia-Pacific logos are trademarks owned by or licensed to Georgia-Pacific Wood Products LLC. The Home Innovation NGBS Green Certified logo is a trademark of Home Innovation Research Labs. © 2014 Georgia-Pacific Wood Products LLC. All rights reserved. Rev. 1/14. Lit. Item #582530.